



# South Bihar Power Distribution Co. Ltd, Patna Bihar

95

Registered Office: Vidyut Bhawan, Bailey Road, Patna-21

A Govt. of Bihar undertaking

CIN No. U40109BR2012SGC018890

Notification No.- SB-VIII/App.-AEE&amp; AE(C)-1002/16 (Part-I) 423 Dated.- 24/11/16

In pursuance of **BSP(H)CL Employment Notice No.-02/2016**, **MISS MAMTA KUMARI** is provisionally appointed to the post of **Assistant Electrical Engineer**, on a probation of three year on consolidated pay Rs. 32,000/- (Rs. Thirty two thousand) only as per terms and condition stipulated in employment notice as well as offer of appointment with effect from her date of joining as mentioned against her name in Column-VII. Miss Kumari is posted at the place as mentioned in Column-VIII as Assistant Electrical Engineer with immediate effect until further order:-

Sl. No.	Name	Father's Name	Selected Category	Date Of Birth	Home District	Date of Joining	Place of posting
I	II	III	IV	V	VI	VII	VIII
1	MAMTA KUMARI	MANAGER SAH	UR	12-06-1993	RANCHI (JHARKHAND)	28-10-2016	ESSD-I, ARA (Urban)

- Miss Mamta Kumari, Assistant Electrical Engineer was waiting for posting at company Hqr. Patna from 28-10-2016 to 24-11-2016.
- The appointment of the **Miss Mamta Kumari** is purely subject to submission of Bond of Rs. 50,000/- (Fifty thousand) on a Rs. 100/- non-judicial stamp paper in prescribed format.

By the order of  
SBPDCL

Sd/-

(R.E.Sharma)

DGM (HR/Admn.)

Dated 24/11/16


Memo No. 424 /

Copy forwarded to OSD to MD / GM (HR&Admin.) / Director(Project) / GM(F&A) / All Chief Engineer / GM-cum-CE, PESU / All DGM-cum-ESE / All ESE / All DGM / CDBA / All EEE / All U.S. / All Senior Manager / All DBA / All A.O. SBPDCL and Miss Mamta Kumari, Assistant Electrical Engineer for information and necessary action.

2 The concerned controlling officer is requested to release the salary of Miss Mamta Kumari, Assistant Electrical Engineer after submission of a Bond of Rs. 50,000/- (Fifty thousand) on a Rs. 100/- non-judicial stamp paper in prescribed format.

3. Miss Mamta Kumari, Assistant Electrical Engineer is directed to inform about any discrepancy (i.e. Name. D.O.B. etc.) found in the above notification for rectification within one month through controlling officer.

4. CDBA is requested to upload above notification on Company Website immediately.

  
(R.E.Sharma)  
DGM (HR/Admn.)